



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/517,718

12/10/2004

Jorma Haag

TAMPPAR-12

5618

36528 7590 05/24/2007
STIENNON & STIENNON
612 W. MAIN ST., SUITE 201
P.O. BOX 1667
MADISON, WI 53701-1667

EXAMINER

NGUYEN, JIMMY T

ART UNIT

PAPER NUMBER

3725

MAIL DATE

DELIVERY MODE

05/24/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/517,718

Applicant(s)

HAAG ET AL.

Examiner

Jimmy T. Nguyen

Art Unit

3725

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 October 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 9-19 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 9-19 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 10 December 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
- 1) ☒ Certified copies of the priority documents have been received.
 - 2) ☐ Certified copies of the priority documents have been received in Application No. _____.
 - 3) ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 12/10/04.

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____.

DETAILED ACTION

Priority

Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Information Disclosure Statement

Receipt is acknowledged of an Information Disclosure Statement (I.D.S.), filed 10 December 2004, which I.D.S. has been placed of record in the file. An initialed, signed and dated copy of the form PTO-1449 is attached to this Office action

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the drawing of “the same multinip calender” (claim 19, lines 2-3) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as “amended.” If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes

Art Unit: 3725

made to the brief description of the several views of the drawings for consistency.

Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

The abstract of the disclosure is objected to because it fails to include parentheses for the numbers. Correction is required. See MPEP § 608.01(b).

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 11-13 and 19 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claim 11, line 1, there is insufficient antecedent basis for the limitation "the volume" in the claim.

Regarding claim 12, line 1, there is insufficient antecedent basis for the limitation "the volume" in the claim.

Art Unit: 3725

Regarding claim 13, line 1, there is insufficient antecedent basis for the limitation “the main fluid coupling” in the claim.

Regarding claim 13, line 2, there is insufficient antecedent basis for the limitation “the auxiliary fluid coupling” in the claim.

Regarding claim 19, lines 1-2, it is not clear what is meant by “the relief cylinder structure ... further comprising a second relief structure” since the second relief cylinder structure is a different structure from that of the (first) relief structure.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 9-13 are rejected under 35 U.S.C. 102(b) as being anticipated by Orloff et al (hereinafter “Orloff”) (US 2,564,790). Orloff discloses a cylinder structure having a frame (fig. 1); an arm (11); a main cylinder area (1); a quick opening cylinder (3); an auxiliary piston (24); a fluid coupling (fig. 1) in communication with the quick opening cylinder (fig. 1) such that fluid within the quick opening cylinder may be discharge (through (13)) from the quick opening cylinder (fig. 1) thereby drawing fluid within the main cylinder area into the quick opening cylinder (via (19, 20, 21)) and cause the arm to move within the frame (col. 3, lines 25-43). A volume of the quick opening cylinder is at its largest when the total length of the cylinder structure is at its longest (fig. 1) and vice versa. Note that when the piston (24) moves close to the element (13), a

Art Unit: 3725

volume of the quick opening cylinder is inherently at its smallest when the total length of the cylinder structure is at its shortest. Orloff further discloses a main fluid coupling (5) and an auxiliary coupling (13).

Claims 14-18 are rejected under 35 U.S.C. 102(b) as being anticipated by Baiker (US 5,024,465).

Baiker discloses a cylinder structure comprising: a frame (6) having a main cylinder (fig. 2); an arm (23); a main fluid coupling (22'); portions of the arm define a quick opening cylinder (fig. 2); an auxiliary piston (21).

Allowable Subject Matter

Claim 19 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The prior art listed on the attached PTO 892 are cited to show relevant cylinder structures and calenders having cylinder structures.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jimmy T. Nguyen whose telephone number is (571) 272-4520. The examiner can normally be reached on Monday-Thursday 7:30am-5:00pm with alternating Friday 7:30am-4:00pm.

Art Unit: 3725

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Derris Banks can be reached on (571) 272- 4419. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JTNguyen
May 17, 2007



JIMMY T. NGUYEN
EXAMINER - AU3725